

NOT ALL PROBLEMS ARE EXACT COPIES TO REVIEW

1st Quarter Exam

Name _____ Key _____

Simplify Each of the Following (Basic Skills)

$$1. -22 + (-15) - 1 =$$

$$\begin{array}{r} -22 - 15 - 1 \\ -38 \end{array}$$

1. -38

$$2. 8 - (-7) + 3 =$$

$$\begin{array}{r} 8 + 7 + 3 \\ 18 \end{array}$$

2. 18

$$3. 2 - (-8) - 11 =$$

$$\begin{array}{r} 2 + 8 - 11 \\ 10 - 11 \\ -1 \end{array}$$

3. -1

$$4. 9 \cdot (-3) \cdot 0 \cdot 7 =$$

$$0$$

4. 0

$$5. 5 \cdot (-3) \cdot (-2) \cdot (-3) =$$

$$\begin{array}{r} -15 \cdot (-2) \cdot (-3) \\ 30 \cdot (-3) \\ -90 \end{array}$$

5. -90

$$6. -7\frac{3}{11} + 2\frac{6}{11} - 1\frac{6}{11} =$$

$$\begin{array}{r} -7 - 2 + 1 \\ -8 \end{array} \quad \begin{array}{r} -3 - 6 + 6 \\ -3 \\ -\frac{3}{11} \end{array}$$

6. $-8\frac{3}{11}$

$$7. \frac{-2}{3} - \frac{4}{12} + \frac{7}{24} =$$

$$\frac{-16}{24} - \frac{8}{24} + \frac{7}{24} = -\frac{17}{24}$$

7. $-\frac{17}{24}$

$$8. \frac{-3}{8} + 2\frac{2}{5} - 2\frac{3}{4} =$$

$$2 - 2 \quad \begin{array}{r} -\frac{15}{40} \\ \frac{16}{40} \\ -\frac{30}{40} \end{array} = -\frac{29}{40}$$

8. $-\frac{29}{40}$

$$9. -3\frac{1}{5} \cdot 1\frac{1}{5} \div -\frac{2}{5} =$$

$$\frac{-16}{5} \cdot \frac{6}{5} \cdot \frac{-5}{2} = \frac{-48}{5} = -9\frac{3}{5}$$

9. $-9\frac{3}{5}$

$$10. -2\frac{1}{5} + 3\frac{1}{2} \cdot \frac{1}{3} =$$

$$-\frac{11}{5} + \frac{2}{7} + \frac{1}{3} = -\frac{22}{105}$$

10. $-\frac{22}{105}$

Order of Operations

$$11. \left(\frac{3-2}{4-3}\right)^2 \div \frac{7}{12} - \frac{1}{2} \cdot \frac{1}{6}$$

$$\left(\frac{9-8}{10}\right)^2 \cdot \frac{12}{7} - \frac{1}{2} \cdot \frac{1}{6}$$

$$\left(\frac{1}{10}\right)^2 \cdot \frac{12}{7} - \frac{1}{12}$$

$$\frac{1}{144} \cdot \frac{12}{7} - \frac{1}{12}$$

$$\frac{1}{12} \cdot \frac{1}{7} - \frac{1}{12}$$

$$\frac{1}{84} - \frac{7}{84}$$

$$\frac{-6}{84} = -\frac{1}{14}$$

11. $-\frac{1}{14}$

$$12. \frac{2}{3}[5(7-5)^2 + (3 \cdot 2) + 2^2 - 1]$$

$$\frac{2}{3}[5(2)^2 + 6 + 4 - 1]$$

$$\frac{2}{3}[5(4) + 6 + 4 - 1]$$

$$\frac{2}{3}[20 + 6 + 4 - 1]$$

$$\frac{2}{3}(29)$$

$$\frac{58}{3} = 19\frac{1}{3}$$

12. $19\frac{1}{3}$

Properties and Identities

Match each of the following and watch out for bad examples

13. G commutativity over multiplication

A. $4k + 5 = 4k + 5$ REFLEXIVE

14. B associativity of multiplication

B. $7 \cdot (2 \cdot 1) = (7 \cdot 2) \cdot 1$ ASSOC. MULT.

15. D additive identity

C. If $3(5) = 11 + 4$ and $11 + 4 = 15$
then $3(5) = 15$ TRANSITIVE

16. A reflexive property

D. $X + 0 = X$ ADDITIVE IDENT

17. H distributive prop. from left over addition

E. $4 + (-4) = 0$ ADDITIVE INVERSES

18. C transitive property

F. $8 + (-8) = 17$ FALSE STATEMENT

19. E additive inverse

G. $M \cdot K + 5 = K \cdot M + 5$ COMMUTATIVE MULT

H. $3(5x + 2) = 15x + 6$ DIST FROM LEFT OVER ADD

I. If $y + 7 = 11$ then $11 = y + 7$ SYMMETRIC

Distribute and Combine Like Terms

20. $-9 + 5(2g + 3) + 3(4g - 1) - 11g$
 $-9 + 10g + 15 + 12g - 3 - 11g$
 $11g + 3$

21. $2(3t + 8) - 9(3t - 5)$
 $6t + 16 - 27t + 45$
 $-21t + 61$

22. $-(3r - 2) + 4(7r + 3)$
 $-3r + 2 + 28r + 12$
 $25r + 14$

23. $2(5g + 2) + 3(2g - 5)$
 $10g + 4 + 6g - 15$
 $16g - 11$

24. $-3(5h - 2m) + 14m$
 $-15h + 6m + 14m$
 $-15h + 20m$

Find the solution set

25. $3x + 7 < 8x$ $-2: 1 < -16$ F $3: 16 < 24$ T
 $r = \{-2, 0, 1, 3, 10\}$ $0: 7 < 0$ F $10: 37 < 80$ T
 $1: 10 < 8$ F

26. $4x + 9 > x^2$ $-3: -3 > 9$ F $2: 17 > 4$ T
 $r = \{-3, -1, 2, 4, 9\}$ $-1: 5 > 1$ T $4: 25 > 16$ F
 $9: 45 > 81$ F

27. $2x + 15 = x^2$ $-5: 5 = 25$ F $1: 17 = 1$ F
 $r = \{-5, -3, 1, 5, 8\}$ $-3: 9 = 9$ T $5: 25 = 25$ T
 $8: 31 = 64$ F

Function notation

$f(x) = 3x - 7$ $g(x) = x^2 + 4$ $h(x) = 5x + 2$

28. $f(-5)$ $3[-5] - 7 = -22$

29. $g(2) + f(5)$ $g(2) = 2^2 + 4 = 8$ $8 + 8 = 16$
 $f(5) = 3(5) - 7 = 8$

30. $h(0)$ $h(0) = 5(0) + 2 = 2$

31. $f(2) + g(1)$ $f(2) = 3(2) - 7 = 6 - 7 = -1$ $g(1) = 1^2 + 4 = 1 + 4 = 5$
 $-1 + 5 = 4$

20. 11g + 3

21. -21t + 63

22. 25r + 14

23. 16g - 11

24. -15h + 20m

25. { 3, 10 }

26. { -1, 2 }

27. { -3, 5 }

28. -22

29. 16

30. 2

31. 4

Solve each equation

32. $\left[\frac{5r-2}{-3}=4\right] \cdot -3$

$$5R - 2 = -12$$

$$5R = -12 + 2$$

$$\frac{5R}{5} = \frac{-10}{5}$$

$$R = -2$$

32 _____

33. $3m + 2 = 23$

$$3m = 23 - 2$$

$$\frac{3m}{3} = \frac{21}{3}$$

$$m = 7$$

33 _____

34. $9m - 5 = 67$

$$9m = 67 + 5$$

$$\frac{9m}{9} = \frac{72}{9}$$

$$m = 8$$

34 _____

35. $\frac{k}{-2} - 3 = 4$

$$\frac{k}{-2} = 4 + 3$$

$$-2 \left[\frac{k}{-2} = 7 \right]$$

$$k = -14$$

35 _____

36. $\left[-7 = \frac{4f-5}{3}\right] 3$

$$-21 = 4f - 5$$

$$-21 + 5 = 4f$$

$$-16 = 4f$$

$$-4 = f$$

36 _____

37. $6(7-3w) = 5w - 2$

$$42 - 18w = 5w - 2$$

$$42 + 2 = 5w + 18w$$

$$\frac{44}{23} = \frac{23w}{23}$$

$$1 \frac{21}{23} = w$$

37 _____

38. $2(7z+3) - 6 = 2(z-5) + 4z$

$$14z + 6 - 6 = 2z - 10 + 4z$$

$$14z = 6z - 10$$

$$14z - 6z = -10$$

$$\frac{8z}{8} = \frac{-10}{8}$$

$$z = -1 \frac{1}{4}$$

38 _____

39. $\frac{3}{5}(15t-35) + 3t = \frac{-2}{3}(9t-12) + 4$

$$9t - 21 + 3t = -6t + 8 + 4$$

$$12t - 21 = -6t + 12$$

$$12t + 6t = 12 + 21$$

$$\frac{18t}{18} = \frac{33}{18}$$

$$t = 1 \frac{5}{6}$$

39 _____

40. $8(2d - 5) + 11 = 13d + 8$

$16d - 40 + 11 = 13d + 8$

$16d - 29 = 13d + 8$

$16d - 13d = 8 + 29$

$3d = 37$

$d = 12\frac{1}{3}$

40 $d = 12\frac{1}{3}$

41. $\frac{2}{7}(28 - 21r) + 3r = 11r - (-7)$

$8 - 6r + 3r = 11r + 7$

$8 - 3r = 11r + 7$

$8 - 7 = 11r + 3r$

$1 = 14r$

$\frac{1}{14} = r$

41 $\frac{1}{14} = r$

42. $5(3a - 2) = \frac{3}{4}(16a + 20)$

$15a - 10 = 12a + 15$

$15a - 12a = 15 + 10$

$\frac{3a}{3} = \frac{25}{3}$

$a = 8\frac{1}{3}$

42 $a = 8\frac{1}{3}$

Solve each word problem, put final answer in box

43. Find three consecutive odd integers whose sum is (-21). Find the three integers.

FIRST: $2n + 1$
SECOND: $2n + 3$
THIRD: $2n + 5$

FIRST + SECOND + THIRD = -21

$6n + 9 = -21$

$6n = -21 - 9$

$\frac{6n}{6} = \frac{-30}{6}$

$n = -5$

FIRST = -9
SECOND = -7
THIRD = -5

44. Find three consecutive even integers whose sum is 138. Find the three integers.

FIRST: $2n$
SECOND: $2n + 2$
THIRD: $2n + 4$

FIRST + SECOND + THIRD = 138

$6n + 6 = 138$

$6n = 138 - 6$

$6n = 132$

$n = 22$

FIRST: 44
SECOND: 46
THIRD: 48

45. A **number** increased by five times the difference of three and the twice number, is equal to seventeen less than, seven times that number. Find the number.

NUMBER: w

$$w + 5(3 - 2w) = 7w - 17$$

$$w + 15 - 10w = 7w - 17$$

$$15 - 9w = 7w - 17$$

$$15 + 17 = 7w + 9w$$

$$32 = 16w$$

$$w = 2$$

46. Find four consecutive odd integers whose sum is 72. Find the four integers.

FIRST: $2n+1$

SECOND: $2n+3$

THIRD: $2n+5$

FOURTH: $2n+7$

$$\text{FIRST} + \text{SECOND} + \text{THIRD} + \text{FOURTH} = 72$$

$$8n + 16 = 72$$

$$8n = 72 - 16$$

$$8n = 56$$

$$n = 7$$

FIRST: 15
 SECOND: 17
 THIRD: 19
 FOURTH: 21

Simplify

47. $5 - (-8) - 11 =$

$$5 + 8 - 11 = 2$$

47. 2

48. $-4 \cdot -3 \cdot 2 \cdot 9 =$

$$12 \cdot 2 \cdot 9 = 216$$

48. 216

49. $-3\frac{2}{3} + -7\frac{1}{2} - 2\frac{1}{3} + 5\frac{3}{4} =$

$$-3 - 7 + 2 + 5 = \frac{-8 - 6 + 4 + 9}{12} = -3\frac{1}{12} = -3\frac{1}{12}$$

49. $-3\frac{1}{12}$

50. $-2\frac{1}{3} \cdot 3\frac{3}{4} \div 2\frac{1}{3} =$

$$\frac{-7}{3} \cdot \frac{15}{4} \cdot \frac{3}{7} = -3\frac{3}{4}$$

50. $-3\frac{3}{4}$

Function notation

$$f(x) = 3x - 8$$

$$g(x) = x^2 - 9$$

$$h(x) = x^2 - 3x + 5$$

51. $f(-1) = 3[-1] - 8 = \boxed{-11}$

51. -11

52. $g(2) + f(3) = -5 + 1 = \boxed{-4}$

$$g(2) = 2^2 - 9 = -5$$

52. -4

53. $h(5) = 5^2 - 3(5) + 5 = 25 - 15 + 5 = \boxed{15}$

$$f(3) = 3(3) - 8 = 1$$

53. 15

54. $f(1) + g(3) = \boxed{15}$

54. -5

$$\left. \begin{aligned} f(1) &= 3(1) - 8 \\ &= -5 \\ g(3) &= 9 - 9 \\ &= 0 \end{aligned} \right\}$$

$$-5 + 0 = \boxed{-5}$$

Function notation

$f(x) = 5x - 2$

$g(x) = x^2 + 1$

$h(x) = |x - 11|$

$w(x) = 3x + 4$

$$55. f(p) = \boxed{5p - 2}$$

$$h(0) = |0 - 11| = 11$$

$$55. \underline{5p - 2}$$

$$56. h(h(h(0)))$$

$$h(11) = |11 - 11| = 0$$

$$56. \underline{11}$$

$$57. h(5) \quad h(5) = |5 - 11| = 6$$

$$57. \underline{6}$$

$$58. f(m+5) + w(2m+7) + f(3m+1)$$

$$58. \underline{26m + 51}$$

$$5[m+5] - 2 + 3[2m+7] + 4 + 5[3m+1] - 2$$

$$\underline{5m+25-2} + \underline{6m+21+4} + \underline{15m+5-2}$$

$$26m + 51$$

Distribute and Combine Like Terms

$$59. -10 + 5(3k+4) - 2(5k-9) - 12k$$

$$-10 + \underline{15k+20} - \underline{10k+18} - 12k$$

$$-7k + 28$$

$$59. \underline{-7k + 28}$$

$$60. 5(2x+7) - 2(5x-1)$$

$$10x + 35 - 10x + 2$$

$$37$$

$$60. \underline{37}$$

Solve each equation

$$61. \frac{2}{7}(21 - 35m) + 2m = 7m - (-6)$$

$$6 - 10m + 2m = 7m + 6$$

$$6 - 8m = 7m + 6$$

$$6 - 6 = 7m + 8m$$

$$0 = 15m$$

$$0 = m$$

$$61. \underline{0 = m}$$

$$62. \left[\frac{2}{3}n + \frac{4}{5} = \frac{1}{2}n - \frac{3}{5} \right] 30$$

$$20n + 24 = 15n - 18$$

$$20n - 15n = -18 - 24$$

$$\frac{5n}{5} = \frac{42}{5}$$

$$n = 8\frac{2}{5}$$

$$62. \underline{n = 8\frac{2}{5}}$$

$$63. \left[\frac{1}{2}z - \frac{2}{3}(4z+1) = \frac{1}{2} - \frac{3}{4}(2z-3) \right] 12$$

hint: remember that if one were to multiply the entire equation by some value, what is in the parentheses is shielded.

$$6z - 8(4z+1) = 6 - 9(2z-3)$$

$$6z - 32z - 8 = 6 - 18z + 27$$

$$-26z - 8 = 33 - 18z$$

$$-8 - 33 = -18z + 26z$$

$$-41 = 8z$$

$$-5\frac{1}{8} = z$$

$$63. \underline{-5\frac{1}{8} = z}$$

hint: remember that if one were to multiply the entire equation by some value, what is in the parentheses is shielded

$$60. \left[\frac{1}{7}g - \frac{2}{3}(5g+2) = \frac{5}{7} - \frac{1}{3}(2g-3) \right]$$

$$3g - 14(5g+2) = 15 - 7(2g-3)$$

$$3g - 70g - 28 = 15 - 14g + 21$$

$$-67g - 28 = -14g + 36$$

$$-28 - 36 = -14g + 67g$$

$$-64 = 53g$$

$$\frac{-64}{53} = \frac{53g}{53}$$

$$-1 \frac{11}{53} = g$$

$$60. \underline{-1 \frac{11}{53} = g}$$

Function notation

Find the value of m by using the function notation and solving the equations.

$$f(x) = 4x - 3 \quad g(x) = 5x + 2 \quad h(x) = \frac{2}{3}x + 1$$

$$61. g(3m+7) + f(2m-3) = h(6m-9)$$

$$5[3m+7] + 2 + 4[2m-3] - 3 = \frac{2}{3}(6m-9) + 1$$

$$\underline{15m + 35} + 2 + \underline{8m - 12} - 3 = 4m - 6 + 1$$

$$23m + 22 = 4m - 5$$

$$23m - 4m = -5 - 22$$

$$\frac{19m}{19} = \frac{-27}{19}$$

$$m = -1 \frac{8}{19}$$

$$61. \underline{m = -1 \frac{8}{19}}$$

$$62. 5[f(m-2)] - 3[h(12m-3)] = 7[g(3m-5)]$$

$$5\{4[m-2]-3\} - 3\left\{\frac{2}{3}[12m-3]+1\right\} = 7\{5[3m-5]+2\}$$

$$5(4m-8-3) - 3(8m-2+1) = 7(15m-25+2)$$

$$5(4m-11) - 3(8m-1) = 7(15m-23)$$

$$20m - 55 - 24m + 3 = 105m - 161$$

$$-4m - 52 = 105m - 161$$

$$-52 + 161 = 105m + 4m$$

$$\frac{109}{109} = \frac{109m}{109}$$

$$1 = m$$

$$62. \underline{1 = m}$$

$$64. \left[\frac{11h-1}{2} = \frac{5h+2}{3} + \frac{3h-4}{6} \right] 6$$

$$3(11h-1) = 2(5h+2) + (3h-4)$$

$$33h-3 = 10h+4 + 3h-4$$

$$33h-3 = 13h$$

$$33h-13h = 3$$

$$20h = 3$$

$$\frac{20h}{20} = \frac{3}{20}$$

$$h = \frac{3}{20}$$

$$64. \underline{h = \frac{3}{20}}$$

$$65. \left[\frac{2g-1}{5} = \frac{4g+5}{2} - \frac{5g-3}{4} \right] 20$$

$$4(2g-1) = 10(4g+5) - 5(5g-3)$$

$$8g-4 = 40g+50 - 25g+15$$

$$8g-4 = 15g+65$$

$$-4-65 = 15g-8g$$

$$-69 = 7g$$

$$-9\frac{6}{7} = g$$

$$65. \underline{-9\frac{6}{7} = g}$$

66: The attendance at a soccer match was 250 people. Student tickets cost \$3.00 and adult tickets cost \$4.00. If \$830 was collected how many of each type of ticket was sold.

Type	Amount	Price \$	Total	
Adult	A	4	4A	T _A
Student	250-A	3	3(250-A)	T _S
_____			830	T_M
	250		830	

$$T_A + T_S = T_M$$

$$4A + 3(250-A) = 830$$

$$4A + 750 - 3A = 830$$

$$A = 80$$

ADULTS: 80

STUDENTS: 170

$$67. \frac{3}{7}(21y-14) - \frac{2}{9}(27y-81) = \frac{3y+2}{2} - \frac{2y-1}{4} + \frac{4y+3}{5}$$

SEE NEXT PAGE FOR WORK

$$67. \underline{\hspace{2cm}}$$

Hint: Simplify the left side of equation first, then worry about the fractions on the right side of the equation.

$$67.] \quad \frac{3}{7}(21y-14) - \frac{2}{9}(27y-81) = \frac{3y+2}{2} - \frac{2y-1}{4} + \frac{4y+3}{5} \quad : \text{EXPAND LEFTHAND SIDE}$$

$$9y-6-6y+18 = \frac{3y+2}{2} - \frac{2y-1}{4} + \frac{4y+3}{5} \quad : \text{COMBINE LIKE TERMS}$$

$$\frac{3y+12}{1} = \frac{3y+2}{2} - \frac{2y-1}{4} + \frac{4y+3}{5} \quad : \text{CONSIDER L.H.S. LIKE A FRACTION}$$

$$20 \left[\frac{3y+12}{1} = \frac{3y+2}{2} - \frac{2y-1}{4} + \frac{4y+3}{5} \right] \quad : \text{MULTIPLY BY COMMON DENOMINATOR}$$

$$20(3y+12) = 10(3y+2) - 5(2y-1) + 4(4y+3) \quad : \text{BRING DOWN NUMERATOR'S UNCHANGED, THEN DISTRIBUTE.}$$

$$60y + 240 = 30y + 20 - 10y + 5 + 16y + 12$$

$$60y + 240 = 36y + 37 \quad : \text{COMBINE LIKE TERMS}$$

$$60y - 36y = 37 - 240$$

$$\frac{24y}{24} = \frac{-203}{24}$$

$$y = -8 \frac{11}{24}$$

: MOVE VARIABLES TO ONE SIDE OF EQUATION, CONSTANTS TO OTHER